

BUF VEL. NUBUCK Care 250ML NEUTRAL

WM 0900478

Order number: 0900478

Version 4.0

Revision Date 17.05.2017

Print Date 17.07.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : BUF VEL. NUBUCK Care 250ML NEUTRAL
Identification number : 61287

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Care product / Polish

1.3 Details of the supplier of the safety data sheet

Company : Bergal, Nico & Solitaire Vertr. GmbH
Rheinallee 96
55120 Mainz
Telephone : +49613196404
Telefax : +4961319642515
E-mail address : Produktsicherheit@werner-mertz.com
Responsible/issuing person :
Contact person : Product development / product safety

1.4 Emergency telephone number

+49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1 H222: Extremely flammable aerosol.
H229: Pressurised container: May burst if heated.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Specific target organ toxicity - single exposure, Category 3, Central nervous system H336: May cause drowsiness or dizziness.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :  

Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.

BUF VEL. NUBUCK Care 250ML NEUTRAL

WM 0900478

Order number: 0900478

Version 4.0

Revision Date 17.05.2017

Print Date 17.07.2017

	H229	Pressurised container: May burst if heated.
	H319	Causes serious eye irritation.
	H336	May cause drowsiness or dizziness.
Precautionary statements	: P102	Keep out of reach of children.
	Prevention:	
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P211	Do not spray on an open flame or other ignition source.
	P251	Do not pierce or burn, even after use.
	P261	Avoid breathing spray.
	P271	Use only outdoors or in a well-ventilated area.
	Response:	
	P312	Call a POISON CENTER/doctor if you feel unwell.
	Storage:	
	P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.
	Disposal:	
	P501	Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:
 propan-2-ol

Additional Labelling:

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
 Warning! Container under pressure.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
propan-2-ol	67-63-0 200-661-7 01-2119457558-25	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	>= 40 - < 50

For explanation of abbreviations see section 16.

BUF VEL. NUBUCK Care 250ML NEUTRAL

WM 0900478

Order number: 0900478

Version 4.0

Revision Date 17.05.2017

Print Date 17.07.2017

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.
Consult a physician after significant exposure.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
If symptoms persist, call a physician.
- In case of eye contact : Protect unharmed eye.
If easy to do, remove contact lens, if worn.
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Irritation
- Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

- Special protective equipment for : In the event of fire, wear self-contained breathing apparatus.

BUF VEL. NUBUCK Care 250ML NEUTRAL

WM 0900478

Order number: 0900478

Version 4.0

Revision Date 17.05.2017

Print Date 17.07.2017

firefighters

Further information : Use water spray to cool unopened containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Beware of vapours accumulating to form explosive concentrations.
Vapours can accumulate in low areas.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours or spray mist. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Container may be opened only under exhaust ventilation hood. Open drum carefully as content may be under pressure.

Advice on protection against fire and explosion : Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Do not spray on a naked flame or any incandescent material. Take measures to prevent the build up of electrostatic charge.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

BUF VEL. NUBUCK Care 250ML NEUTRAL

WM 0900478

Order number: 0900478

Version 4.0

Revision Date 17.05.2017

Print Date 17.07.2017

Requirements for storage areas and containers : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in original container. Store in cool place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards. Store at room temperature in the original container.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Care product / Polish

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

DNEL

**propan-2-ol
67-63-0:**

: End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects

End Use: Workers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 500 mg/m3

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: Long-term systemic effects

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 89 mg/m3

PNEC

**propan-2-ol
67-63-0:**

: Fresh water
Value: 140,9 mg/l

Marine water
Value: 140,9 mg/l

Fresh water sediment

BUF VEL. NUBUCK Care 250ML NEUTRAL

WM 0900478

Order number: 0900478

Version 4.0

Revision Date 17.05.2017

Print Date 17.07.2017

Value: 552 mg/kg

Marine sediment
Value: 552 mg/kg

Soil
Value: 28 mg/kg

intermittent release
Value: 140,9 mg/l

STP
Value: 2251 mg/l

Value: 160 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye protection : not required under normal use

Hand protection

Material : not required under normal use

For prolonged or repeated contact use protective gloves.
Chemical resistant gloves made of butyl rubber or nitrile rubber
category III according to EN 374-1: 2003 (0,4 mm).

Remarks : Take note of the information given by the producer concerning
permeability and break through times, and of special workplace
conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : Ensure adequate ventilation, especially in confined areas.
In case of insufficient ventilation, wear suitable respiratory
equipment.
Recommended Filter type:
ABEK-P3-filter

Environmental exposure controls

General advice : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : aerosol

BUF VEL. NUBUCK Care 250ML NEUTRAL

WM 0900478

Order number: 0900478

Version 4.0

Revision Date 17.05.2017

Print Date 17.07.2017

Colour	: colourless
Odour	: characteristic
Odour Threshold	: No data available
pH	: Not applicable
Melting point/range	: No data available
Boiling point/boiling range	: -5 °C
Flash point	: -60 °C
	-60 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Burning rate	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: 0,657 g/cm ³
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

BUF VEL. NUBUCK Care 250ML NEUTRAL

WM 0900478

Order number: 0900478

Version 4.0

Revision Date 17.05.2017

Print Date 17.07.2017

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions., No decomposition if used as directed.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.
Other information : No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product

Skin corrosion/irritation : May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation : According to the classification criteria of the European Union, the product is not considered as being an eye irritant.

Respiratory or skin sensitisation : No data available

Further information : Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

Components:

propan-2-ol

67-63-0:

Acute oral toxicity : LD50 Rat: 5.280 mg/kg
Method: OECD Test Guideline 401

LD50 Oral Rat: 3.570 mg/kg

LD50 Oral Rabbit: 5.030 mg/kg

LD50 Oral Rat: 5.840 mg/kg
Method: OECD Test Guideline 401

LD50 Oral Rat: 4.570 mg/kg

Acute inhalation toxicity : LC50 Rat, female: 47,5 mg/l

BUF VEL. NUBUCK Care 250ML NEUTRAL

WM 0900478

Order number: 0900478

Version 4.0

Revision Date 17.05.2017

Print Date 17.07.2017

	Exposure time: 8 h Method: OECD Test Guideline 403
	LC50 Rat: 72,6 mg/l Exposure time: 4 h
	LC50 Mouse: 27,2 mg/l Exposure time: 4 h
	LC50 Rat: 25 mg/l Exposure time: 6 h Method: OECD Test Guideline 403
	LC50 Rat: 30 mg/l Exposure time: 4 h
Acute dermal toxicity	: LD50 Rabbit: 12.800 mg/kg Method: OECD Test Guideline 402
	LD50 Dermal Rabbit: 12.870 mg/kg Method: OECD Test Guideline 402
	LD50 Dermal Rabbit: 13.900 mg/kg Method: OECD Test Guideline 402
	LD50 Dermal Rabbit: 13.400 mg/kg
Skin corrosion/irritation	: Species: Rabbit Result: No skin irritation
Serious eye damage/eye irritation	: Species: Rabbit Result: irritating
Respiratory or skin sensitisation	: Test Method: Buehler Test Species: Guinea pig Result: Does not cause skin sensitisation.
Germ cell mutagenicity	
Genotoxicity in vitro	: Type: Ames test Test species: Salmonella typhimurium with and without metabolic activation Result: negative

SECTION 12: Ecological information

12.1 Toxicity

Components:

BUF VEL. NUBUCK Care 250ML NEUTRAL

WM 0900478

Order number: 0900478

Version 4.0

Revision Date 17.05.2017

Print Date 17.07.2017

propan-2-ol

67-63-0:

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): 1.400 mg/l Exposure time: 96 h LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l Exposure time: 48 h Test Type: static test GLP: no
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 13.299 mg/l Exposure time: 48 h EC50 (Daphnia magna (Water flea)): 9.714 mg/l Exposure time: 24 h EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test Type: static test GLP: no (Daphnia (water flea)): > 10.000 mg/l Method: OECD Test Guideline 202 NOEC (Daphnia magna (Water flea)): 30 mg/l Exposure time: 21 d
Toxicity to algae	: IC50 (Desmodesmus subspicatus (green algae)): > 1.000 mg/l Exposure time: 72 h Test Type: Growth inhibition EC50 (Pseudokirchneriella subcapitata (microalgae)): > 100 mg/l Exposure time: 72 h Test Type: static test GLP: no ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1.000 mg/l Exposure time: 72 h EC50 (Scenedesmus subspicatus): > 100 mg/l Exposure time: 72 h Test Type: static test
Toxicity to bacteria	: EC50 (Aliivibrio fischeri): 17.700 mg/l Exposure time: 5 min GLP: EC10 (Pseudomonas putida): 5.175 mg/l Exposure time: 18 h Method: DIN 38412 GLP:

12.2 Persistence and degradability

Components:

propan-2-ol

67-63-0:

BUF VEL. NUBUCK Care 250ML NEUTRAL

WM 0900478

Order number: 0900478

Version 4.0

Revision Date 17.05.2017

Print Date 17.07.2017

Biodegradability	: Result: rapidly biodegradable Biodegradation: 95 % Exposure time: 21 d Method: OECD 301 E
	Inoculum: activated sludge Result: rapidly biodegradable Biodegradation: 53 % Exposure time: 5 d
	Result: rapidly biodegradable Biodegradation: > 70 % Exposure time: 10 d GLP: no
	Biodegradation: 99,9 % Method: see user defined free text
Chemical Oxygen Demand (COD)	: 2,32 g/kg
ThOD	: 2,40 g/g

12.3 Bioaccumulative potential

Components:

propan-2-ol

67-63-0:

Bioaccumulation : Bioconcentration factor (BCF): 3

Remarks: No bioaccumulation is to be expected (log Pow <= 4).

Partition coefficient: n-octanol/water : log Pow: 0,05

12.4 Mobility in soil

Components:

propan-2-ol

67-63-0:

Distribution among environmental compartments : Koc: 25Remarks: Highly mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Components:

propan-2-ol

67-63-0:

Assessment : This substance is not considered to be very persistent and very bioaccumulating (vPvB).. This substance is not considered to be

BUF VEL. NUBUCK Care 250ML NEUTRAL

WM 0900478

Order number: 0900478

Version 4.0

Revision Date 17.05.2017

Print Date 17.07.2017

persistent, bioaccumulating and toxic (PBT)..

12.6 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Empty remaining contents.
Empty pressure vessels should be returned to the supplier.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

Waste Code : European Waste Catalogue
16 05 04*
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

SECTION 14: Transport information

14.1 UN number

ADR : 1950
IMDG : 1950
IATA : 1950

14.2 Proper shipping name

ADR : AEROSOLS
IMDG : AEROSOLS
IATA : Aerosols, flammable

14.3 Transport hazard class

ADR : 2
IMDG : 2.1
IATA : 2.1

14.4 Packing group

ADR
Classification Code : 5F
Labels : 2.1
Tunnel restriction code : (D)
IMDG
Labels : 2.1
EmS Number : F-D, S-U

BUF VEL. NUBUCK Care 250ML NEUTRAL

WM 0900478

Order number: 0900478

Version 4.0

Revision Date 17.05.2017

Print Date 17.07.2017

IATA

Packing instruction (cargo aircraft) : 203
Packing instruction (LQ) : Y203
Labels : 2.1

14.5 Environmental hazards

ADR

Environmentally hazardous : no

IMDG

Marine pollutant : no

IATA

Environmentally hazardous : no

14.6 Special precautions for user

For personal protection see section 8.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

		Quantity 1	Quantity 2
8	Extremely flammable	10 000067	50 000067
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. TA Luft List (Germany)	: Not applicable : Total dust: Not applicable : Inorganic substances in powdered form: Not applicable : Inorganic substances in vapour or gaseous form: Not applicable : Organic Substances: Not applicable : Carcinogenic substances: Not applicable : Mutagenic: Not applicable : Toxic to reproduction: Not applicable		
Volatile organic compounds (VOC) content	: Percent volatile: 99,88 % 656,18 g/l VOC content excluding water		
Volatile organic compounds (VOC) content	: Percent volatile: 99,88 % 656,18 g/l VOC content valid only for coating materials used on wood surfaces		
according to Detergents Regulation EC 648/2004	: >=30% Aliphatic hydrocarbons		
Diğer kurallar	: 26 Aralık 2008 tarihli,27092 mükerrer sayılı," T.C. Çevre ve Orman		

BUF VEL. NUBUCK Care 250ML NEUTRAL

WM 0900478

Order number: 0900478

Version 4.0

Revision Date 17.05.2017

Print Date 17.07.2017

Bakanlığı Tehlikeli Maddeler ve Müstahzarlara İlişkin Güvenlik Bilgi Formlarının Hazırlanması ve Dağıtılması Hakkında Yönetmeliği " ne uygun düzenlenmiştir.
26 Aralık 2008 27092 (mükerrer) sayılı Tehlikeli Maddelerin ve Müstahzarların Sınıflandırılması Ambalajlanması ve Etiketlenmesi Hakkında Yönetmelik hükümlerine göre hazırlanmıştır.

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Further information

Classification procedure: H222, H229 Calculation method
H319 Calculation method
H336 Calculation method

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

BUF VEL. NUBUCK Care 250ML NEUTRAL

WM 0900478

Order number: 0900478

Version 4.0

Revision Date 17.05.2017

Print Date 17.07.2017

50000003705