SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



BUF VEL. NUBUCK Care 250ML black

WM 0900479 Order number: 0900479

Version 2.0 Revision Date 17.05.2017 Print Date 17.07.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : BUF VEL. NUBUCK Care 250ML black

Identification number : 61755

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Care product / Polish

1.3 Details of the supplier of the safety data sheet

Company : Bergal, Nico & Solitaire Vertr. GmbH

Rheinallee 96 55120 Mainz

Telephone : +49613196404 Telefax : +4961319642515

E-mail address : Produktsicherheit@werner-mertz.com

Responsible/issuing person

Contact person : Product development / product safety

1.4 Emergency telephone number

+49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1 H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Specific target organ toxicity - single exposure, Category 3, Central nervous

system

H336: May cause drowsiness or dizziness.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :





Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.



Dispose of contents/ container to an approved

waste disposal plant.

BUF VEL. NUBUCK Care 250ML black						
WM 0900479	Order number: 0900479					
Version 2.0	Revision Date 17.05.2017		Print Date 17.07.2017			
	H229 H319 H336	Pressurised container: Causes serious eye irr May cause drowsiness	itation.			
Precautionary statements	: P102 Prevention:	Keep out of reach of children.				
	P210	Keep away from heat, open flames and other smoking.				
	P211	O	en flame or other ignition			
	P251	Do not pierce or burn, even after use.				
	P261	Avoid breathing spray.				
	P271 Response:	Use only outdoors or ir	n a well-ventilated area.			
	P312	Call a POISON CENTE unwell.	ER/doctor if you feel			
	Storage: P410 + P412	Protect from sunlight. I temperatures exceeding				
	Disposal:	p	5			

Hazardous components which must be listed on the label: propan-2-ol

P501

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. Warning! Container under pressure.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
propan-2-ol	67-63-0 200-661-7 01-2119457558-25	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	>= 40 - < 50

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures



WM 0900479 Order number: 0900479

Version 2.0 Revision Date 17.05.2017 Print Date 17.07.2017

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact : Protect unharmed eye.

If easy to do, remove contact lens, if worn.

Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Irritation

Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons

Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during

: Do not allow run-off from fire fighting to enter drains or water

firefighting

courses.

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for

firefighters

: In the event of fire, wear self-contained breathing apparatus.

Further information : Use water spray to cool unopened containers. Collect contaminated

fire extinguishing water separately. This must not be discharged into



WM 0900479 Order number: 0900479

Version 2.0 Revision Date 17.05.2017 Print Date 17.07.2017

drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed

containments.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Beware of vapours accumulating to form explosive concentrations.

Vapours can accumulate in low areas.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours or spray mist. Avoid contact with skin and

eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take

precautionary measures against static discharges. Container may be opened only under exhaust ventilation hood. Open drum carefully as

content may be under pressure. Dispose of rinse water in

accordance with local and national regulations.

Advice on protection against fire

and explosion

: Use explosion-proof equipment. Keep away from sources of ignition -

No smoking. Do not spray on a naked flame or any incandescent material. Take measures to prevent the build up of electrostatic

charge.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas

and containers

: BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot



WM 0900479 Order number: 0900479

Version 2.0 Revision Date 17.05.2017 Print Date 17.07.2017

objects. Store in original container. Store in cool place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards. Store at room temperature in

the original container.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Care product / Polish

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

DNEL

propan-2-ol : End Use: Workers

67-63-0: Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 500 mg/m3

End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

End Use: Consumers
Exposure routes: Ingestion

Potential health effects: Long-term systemic effects

End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 89 mg/m3

PNEC

propan-2-ol : Fresh water **67-63-0:** Value: 140,9 mg/l

Marine water Value: 140,9 mg/l

Fresh water sediment Value: 552 mg/kg

Marine sediment



WM 0900479 Order number: 0900479

Version 2.0 Revision Date 17.05.2017 Print Date 17.07.2017

Value: 552 mg/kg

Soil

Value: 28 mg/kg

intermittent release Value: 140,9 mg/l

STP

Value: 2251 mg/l

Value: 160 mg/kg

8.2 Exposure controls

Personal protective equipment

<u>Eye protection</u>: not required under normal use

Hand protection

Material : not required under normal use

For prolonged or repeated contact use protective gloves. Chemical resistant gloves made of butyl rubber or nitrile rubber

category III according to EN 374-1: 2003 (0,4 mm).

Remarks : Take note of the information given by the producer concerning

permeability and break through times, and of special workplace

conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

<u>Respiratory protection</u>: Ensure adequate ventilation, especially in confined areas.

In case of insufficient ventilation, wear suitable respiratory

equipment.

Recommended Filter type:

ABEK-P3-filter

Environmental exposure controls

General advice : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : aerosol

Colour : black

Odour : characteristic



WM 0900479 Order number: 0900479

Version 2.0 Revision Date 17.05.2017 Print Date 17.07.2017

Odour Threshold : No data available
pH : No data available
Melting point/range : No data available
Boiling point/boiling range : No data available

Flash point : -60 °C

Evaporation rate No data available Flammability (solid, gas) No data available Burning rate No data available Lower explosion limit No data available Upper explosion limit No data available Vapour pressure No data available Relative vapour density No data available Relative density No data available : 0,657 g/cm3 Density

Water solubility : No data available
Solubility in other solvents : No data available
Partition coefficient: n- : No data available

octanol/water

Ignition temperature : No data available
Thermal decomposition : No data available
Viscosity, dynamic : No data available
Viscosity, kinematic : No data available
Explosive properties : No data available
Oxidizing properties : No data available

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions., No decomposition if

used as directed.

10.4 Conditions to avoid

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



BUF VEL. NUBUCK Care 250ML black

WM 0900479 Order number: 0900479

Version 2.0 Revision Date 17.05.2017 Print Date 17.07.2017

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

Hazardous decomposition

products

: No hazardous decomposition products are known.

Other information : No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product

Skin corrosion/irritation : May cause skin irritation in susceptible persons.

Serious eye damage/eye

irritation

: According to the classification criteria of the European Union, the

product is not considered as being an eye irritant.

Respiratory or skin sensitisation : No data available

Further information : Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

Components:

propan-2-ol 67-63-0:

Acute oral toxicity : LD50 Rat: 5.280 mg/kg

Method: OECD Test Guideline 401

LD50 Oral Rat: 3.570 mg/kg

LD50 Oral Rabbit: 5.030 mg/kg

LD50 Oral Rat: 5.840 mg/kg Method: OECD Test Guideline 401

LD50 Oral Rat: 4.570 mg/kg

Acute inhalation toxicity : LC50 Rat, female: 47,5 mg/l

Exposure time: 8 h

Method: OECD Test Guideline 403

LC50 Rat: 72,6 mg/l Exposure time: 4 h



WM 0900479 Order number: 0900479

Version 2.0 Revision Date 17.05.2017 Print Date 17.07.2017

LC50 Mouse: 27,2 mg/l Exposure time: 4 h

LC50 Rat: 25 mg/l Exposure time: 6 h

Method: OECD Test Guideline 403

LC50 Rat: 30 mg/l Exposure time: 4 h

Acute dermal toxicity : LD50 Rabbit: 12.800 mg/kg

Method: OECD Test Guideline 402

LD50 Dermal Rabbit: 12.870 mg/kg Method: OECD Test Guideline 402

LD50 Dermal Rabbit: 13.900 mg/kg Method: OECD Test Guideline 402

LD50 Dermal Rabbit: 13.400 mg/kg

Skin corrosion/irritation : Species: Rabbit

Result: No skin irritation

Serious eye damage/eye

irritation

: Species: Rabbit

Result: irritating

Respiratory or skin sensitisation : Test Method: Buehler Test

Species: Guinea pig

Result: Does not cause skin sensitisation.

Germ cell mutagenicity

Genotoxicity in vitro : Type: Ames test

Test species: Salmonella typhimurium with and without metabolic activation

Result: negative

SECTION 12: Ecological information

12.1 Toxicity

Components:

propan-2-ol 67-63-0:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1.400 mg/l

Exposure time: 96 h

LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l

Exposure time: 48 h



WM 0900479 Order number: 0900479

Version 2.0 Revision Date 17.05.2017 Print Date 17.07.2017

Test Type: static test

GLP: no

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 13.299 mg/l

Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 9.714 mg/l

Exposure time: 24 h

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: static test

GLP: no

(Daphnia (water flea)): > 10.000 mg/l Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): 30 mg/l

Exposure time: 21 d

Toxicity to algae : IC50 (Desmodesmus subspicatus (green algae)): > 1.000 mg/l

Exposure time: 72 h

Test Type: Growth inhibition

EC50 (Pseudokirchneriella subcapitata (microalgae)): > 100 mg/l

Exposure time: 72 h Test Type: static test

GLP: no

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1.000 mg/l

Exposure time: 72 h

EC50 (Scenedesmus subspicatus): > 100 mg/l

Exposure time: 72 h Test Type: static test

Toxicity to bacteria : EC50 (Aliivibrio fischeri): 17.700 mg/l

Exposure time: 5 min

GLP:

EC10 (Pseudomonas putida): 5.175 mg/l

Exposure time: 18 h Method: DIN 38412

GLP:

12.2 Persistence and degradability

Components:

propan-2-ol 67-63-0:

Biodegradability : Result: rapidly biodegradable

Biodegradation: 95 % Exposure time: 21 d Method: OECD 301 E

Inoculum: activated sludge Result: rapidly biodegradable



WM 0900479 Order number: 0900479

Version 2.0 Revision Date 17.05.2017 Print Date 17.07.2017

Biodegradation: 53 % Exposure time: 5 d

Result: rapidly biodegradable Biodegradation: > 70 % Exposure time: 10 d

GLP: no

Biodegradation: 99,9 %

Method: see user defined free text

Chemical Oxygen Demand

(COD)

: 2,32 g/kg

ThOD : 2,40 g/g

12.3 Bioaccumulative potential

Components:

propan-2-ol 67-63-0:

Bioaccumulation : Bioconcentration factor (BCF): 3

Remarks: No bioaccumulation is to be expected (log Pow <= 4).

Partition coefficient: n-

octanol/water

: log Pow: 0,05

12.4 Mobility in soil

Components:

propan-2-ol 67-63-0:

Distribution among

environmental compartments

: Koc: 25Remarks: Highly mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be

either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Components:

propan-2-ol 67-63-0:

Assessment : This substance is not considered to be very persistent and very

bioaccumulating (vPvB).. This substance is not considered to be

persistent, bioaccumulating and toxic (PBT)...

12.6 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.



WM 0900479 Order number: 0900479

Version 2.0 Revision Date 17.05.2017 Print Date 17.07.2017

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with chemical or

used container.

Offer surplus and non-recyclable solutions to a licensed disposal

company.

Contaminated packaging : Empty remaining contents.

Empty pressure vessels should be returned to the supplier.

Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

Waste Code European Waste Catalogue

16 05 04*

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste

disposal authorities.

SECTION 14: Transport information

14.1 UN number

ADR : 1950 IMDG : 1950 IATA : 1950

14.2 Proper shipping name

ADR : AEROSOLS IMDG : AEROSOLS

IATA : Aerosols, flammable

14.3 Transport hazard class

ADR : 2 IMDG : 2.1 IATA : 2.1

14.4 Packing group

ADR

Classification Code : 5F Labels : 2.1 Tunnel restriction code : (D)

IMDG

Labels : 2.1 EmS Number : F-D, S-U

IATA

Packing instruction (cargo : 203

aircraft)

Packing instruction (LQ) : Y203 Labels : 2.1

14.5 Environmental hazards

ADR



WM 0900479 Order number: 0900479

Version 2.0 Revision Date 17.05.2017 Print Date 17.07.2017

Environmentally hazardous : no

IMDG

Marine pollutant no

IATA

Environmentally hazardous : no

14.6 Special precautions for user

For personal protection see section 8.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

TA Luft List (Germany)

Total dust: Not applicable

Inorganic substances in powdered form: Not applicable

Inorganic substances in vapour or gaseous form: Not applicable

Organic Substances: Not applicable

Carcinogenic substances: : portionClass 3: 0,05 %

Mutagenic:: 0,05 %

Toxic to reproduction: Not applicable

Volatile organic compounds

(VOC) content

: Percent volatile: 91,88 %

603,65 g/l

VOC content excluding water

Volatile organic compounds

(VOC) content

: Percent volatile: 91,88 %

603,65 g/l

VOC content valid only for coating materials used on wood surfaces

according to Detergents Regulation EC 648/2004 >=30% Aliphatic hydrocarbons

Diğer kurallar : 26 Aralık 2008 tarihli,27092 mükerrer sayılı," T.C. Çevre ve Orman

Bakanlığı Tehlikeli Maddeler ve Müstahzarlara İlişkin Güvenlik Bilgi Formlarının Hazırlanması ve Dağıtılması Hakkında Yönetmeliği " ne

uygun düzenlenmiştir.

26 Aralık 2008 27092 (mükerrer) sayılı Tehlikeli Maddelerin ve Müstahzarların Sınıflandırılması Ambalajlanması ve Etiketlenmesi

Hakkında Yönetmelik hükümlerine göre hazırlanmıştır.

15.2 Chemical safety assessment

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006



BUF VEL. NUBUCK Care 250ML black

WM 0900479 Order number: 0900479

Version 2.0 Revision Date 17.05.2017 Print Date 17.07.2017

SECTION 16: Other information

Full text of H-Statements

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Further information

Classification procedure: H222, H229 Calculation method

H319 Calculation method H336 Calculation method

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS -Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

500000004218