according to Regulation (EC) No. 1907/2006



BUF POWER CLEANER 75ML

WM 0900679 Order number: 0900679

Version 4.0 Revision Date 22.05.2017 Print Date 17.07.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : BUF POWER CLEANER 75ML

Identification number : 64080

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent

1.3 Details of the supplier of the safety data sheet

Company : Bergal, Nico & Solitaire Vertr. GmbH

Rheinallee 96 55120 Mainz

Telephone : +49613196404 Telefax : +4961319642515

E-mail address : Produktsicherheit@werner-mertz.com

Responsible/issuing person

Contact person : Product development / product safety

1.4 Emergency telephone number

+49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling:

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Aqueous surfactant solution.

Hazardous components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		



WM 0900679 Order number: 0900679

Version 4.0 Revision Date 22.05.2017 Print Date 17.07.2017

Sulfuric acid, mono-C12-16-alkyl esters, sodium salts	73296-89-6 277-362-3 01-2119489464-26	Skin Irrit. 2; H315 Eye Irrit. 1; H318 Aquatic Chronic 3; H412 SCL 10 - 20 % 2; H319 >= 20 % 1; H318	>= 1 - < 2
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6 270-407-8 01-2119513401-57	Skin Irrit. 2; H315 Eye Dam. 1; H318 SCL >= 5 % 2; H315 > 5 - 38 % 2; H319 > 38 % 1; H318	>= 1 - < 2

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : No hazards which require special first aid measures.

If inhaled : Move to fresh air in case of accidental inhalation of dust or fumes

from overheating or combustion. If symptoms persist, call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

In case of eye contact : Protect unharmed eye.

If easy to do, remove contact lens, if worn.

Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons

Information Service.



WM 0900679 Order number: 0900679

Version 4.0 Revision Date 22.05.2017 Print Date 17.07.2017

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for

firefighters

: In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must

not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local

regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Sweep up and shovel.

Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8. No special handling advice

required.

Advice on protection against fire

and explosion

: Normal measures for preventive fire protection.

Hygiene measures : Wash hands before breaks and at the end of workday.

according to Regulation (EC) No. 1907/2006



BUF POWER CLEANER 75ML

WM 0900679 Order number: 0900679

Version 4.0 Revision Date 22.05.2017 Print Date 17.07.2017

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas

and containers

: Keep container tightly closed in a dry and well-ventilated place. Store

at room temperature in the original container.

Advice on common storage : No special restrictions on storage with other products.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

DNEL

Sulfuric acid, mono-C12-16alkyl esters, sodium salts

73296-89-6:

: End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 285 mg/m3

End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 85 mg/m3

End Use: Consumers Exposure routes: Ingestion

Potential health effects: Long-term systemic effects

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene,

sodium salts 68439-57-6:

End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term exposure, Systemic effects

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term exposure, Systemic effects

Value: 152,22 mg/m3



WM 0900679 Order number: 0900679

Version 4.0 Revision Date 22.05.2017 Print Date 17.07.2017

End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Long-term exposure, Systemic effects

End Use: Consumers
Exposure routes: Inhalation

Potential health effects: Long-term exposure, Systemic effects

Value: 45,04 mg/m3

End Use: Consumers Exposure routes: Ingestion

Potential health effects: Long-term exposure, Systemic effects

PNEC

Sulfuric acid, mono-C12-16alkyl esters, sodium salts

73296-89-6:

: Fresh water

Value: 0,0958 mg/l

Marine water Value: 0,0096 mg/l

Fresh water sediment Value: 3,37 mg/kg

Marine sediment Value: 0,337 mg/kg

Soil

Value: 0,616 mg/kg

STP

Value: 1084 mg/l

intermittent release Value: 0,036 mg/l

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene,

sodium salts 68439-57-6: : Fresh water

Value: 0,042 mg/l

Marine water Value: 0,0042 mg/l

Fresh water sediment Value: 2,025 mg/l

Marine sediment Value: 0,2025 mg/l

Soil

Value: 0,0061 mg/l

STP

Value: 4 mg/l

8.2 Exposure controls



WM 0900679 Order number: 0900679

Version 4.0 Revision Date 22.05.2017 Print Date 17.07.2017

Personal protective equipment

Eye protection : not required under normal use

Hand protection

Material : not required under normal use

For prolonged or repeated contact use protective gloves. Chemical resistant gloves made of butyl rubber or nitrile rubber

category III according to EN 374-1: 2003 (0,4 mm).

Remarks : Take note of the information given by the producer concerning

permeability and break through times, and of special workplace

conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : not required under normal use

Environmental exposure controls

General advice : Try to prevent the material from entering drains or water courses.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : milky
Odour : like fruit

Odour Threshold : No data available

pH : 7,0

Melting point/range : No data available

Boiling point/boiling range : No information available.

Flash point Not applicable Evaporation rate : No data available Flammability (solid, gas) : No data available Burning rate : No data available Lower explosion limit No data available Upper explosion limit No data available Vapour pressure No data available No data available Relative vapour density Relative density : No data available



WM 0900679 Order number: 0900679

Version 4.0 Revision Date 22.05.2017 Print Date 17.07.2017

Density : ca. 1,005 g/cm3

Water solubility : soluble

Solubility in other solvents : No data available
Partition coefficient: n- : No data available

octanol/water

Ignition temperature : No data available
Thermal decomposition : No data available
Viscosity, dynamic : No data available
Viscosity, kinematic : No data available
Explosive properties : No data available
Oxidizing properties : No data available

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

Hazardous decomposition

: No hazardous decomposition products are known.

products

Other information : No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product

Skin corrosion/irritation : According to the classification criteria of the European Union, the

product is not considered as being a skin irritant.

according to Regulation (EC) No. 1907/2006



BUF POWER CLEANER 75ML

WM 0900679 Order number: 0900679

Version 4.0 Revision Date 22.05.2017 Print Date 17.07.2017

Serious eye damage/eye

irritation

: According to the classification criteria of the European Union, the

product is not considered as being an eye irritant.

Respiratory or skin sensitisation : No data available

Further information : No data available

Components:

Sulfuric acid, mono-C12-16-alkyl esters, sodium salts

73296-89-6:

Acute oral toxicity : LD50 Oral Rat: > 2.000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 Rabbit: > 2.000 mg/kg

Skin corrosion/irritation : Result: irritating

Method: OECD Test Guideline 404

Serious eye damage/eye

irritation

: Result: Risk of serious damage to eyes. Method: OECD Test Guideline 405

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

68439-57-6:

Acute oral toxicity : LD50 Oral Rat: > 2.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 Rat: 52 mg/l

Exposure time: 4 h

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 Dermal Rabbit: 6.300 mg/kg

Method: OECD Test Guideline 402

Skin corrosion/irritation : Species: Rabbit

Result: Irritating to skin.

Method: OECD Test Guideline 404

Serious eye damage/eye : Species: Rabbit

irritation

Result: Risk of serious damage to eyes.

Method: OECD Test Guideline 405

Respiratory or skin sensitisation : Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

Method: OECD Test Guideline 406

Repeated dose toxicity : Rat: NOAEL: 259 mg/kg

Application Route: Dermal

according to Regulation (EC) No. 1907/2006



BUF POWER CLEANER 75ML

WM 0900679 Order number: 0900679

Version 4.0 Revision Date 22.05.2017 Print Date 17.07.2017

Exposure time: 2 Years

SECTION 12: Ecological information

12.1 Toxicity

Product:

Components:

Sulfuric acid, mono-C12-16-alkyl esters, sodium salts

73296-89-6:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 10 - 100 mg/l

Method: OECD Test Guideline 203

LC50 (Fish): 3,6 mg/l Exposure time: 48 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 10 - 100 mg/l

EC50 (Daphnia (water flea)): 4,7 mg/l

Exposure time: 48 h

NOEC (Daphnia (water flea)): 2,5 mg/l

Exposure time: 48 h

Toxicity to algae : EC50 (Scenedesmus subspicatus): 10 - 100 mg/l

Toxicity to bacteria : EC0 (Pseudomonas putida): > 100 mg/l

Toxicity to fish (Chronic toxicity) : NOEC: 1 - 10 mg/l

Species: Pimephales promelas (fathead minnow)

NOEC: 0,11 mg/l Exposure time: 34 d Species: Fish

NOEC: 0,35 mg/l Exposure time: 34 d Species: Fish

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

NOEC: 1 - 10 mg/l

Species: Daphnia magna (Water flea)

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 4,2 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

(Daphnia magna (Water flea)): 4,53 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

according to Regulation (EC) No. 1907/2006



BUF POWER CLEANER 75ML

WM 0900679 Order number: 0900679

Version 4.0 Revision Date 22.05.2017 Print Date 17.07.2017

Toxicity to algae : (Skeletonema costatum (marine diatom)): 5,2 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to bacteria : EC50 (Bacteria): 230 mg/l

Method: OECD Test Guideline 209

Plant toxicity : 2025 mg/lDuration: 10 d

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: The surfactant(s) contained in this preparation complies

(comply) with the biodegradability criteria as laid down in Regulation

(EC) No. 648/2004 on detergents.

Components:

Sulfuric acid, mono-C12-16-alkyl esters, sodium salts

73296-89-6:

Biodegradability : Result: rapidly biodegradable

Biodegradation: 100 % Exposure time: 28 d Method: OECD 301 B

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

68439-57-6:

Biodegradability : Biodegradation: > 80 %

Method: OECD 301 B

Remarks: According to the results of tests of biodegradability this

product is considered as being readily biodegradable.

Chemical Oxygen Demand : 790 mg/g

(COD)

Dissolved organic carbon (DOC) : 190 mg/g

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be

either persistent, bioaccumulative and toxic (PBT), or very persistent

and very bioaccumulative (vPvB) at levels of 0.1% or higher...

12.6 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.



WM 0900679 Order number: 0900679

Version 4.0 Revision Date 22.05.2017 Print Date 17.07.2017

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Offer surplus and non-recyclable solutions to a licensed disposal

company.

Contaminated packaging : Empty remaining contents.

Empty containers should be taken to an approved waste handling

site for recycling or disposal.

Waste Code European Waste Catalogue

20 01 29*

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste

disposal authorities.

SECTION 14: Transport information

14.1 UN number

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.2 Proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.4 Packing group

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.5 Environmental hazards

ADR

Not dangerous goods

Not regulated as a dangerous good

IATA

Not dangerous goods

14.6 Special precautions for user

For personal protection see section 8.



WM 0900679 Order number: 0900679

Version 4.0 Print Date 17.07.2017 Revision Date 22.05.2017

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 96/82/EC does not apply

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving

Not applicable

dangerous substances. TA Luft List (Germany)

Total dust: Not applicable

Inorganic substances in powdered form: Not applicable

Inorganic substances in vapour or gaseous form: Not applicable

Organic Substances: Not applicable Carcinogenic substances: Not applicable

Mutagenic: Not applicable

Toxic to reproduction: Not applicable

Volatile organic compounds

(VOC) content

Percent volatile: 0,1 %

21,54 g/l

VOC content excluding water

Volatile organic compounds

(VOC) content

Percent volatile: 0,1 %

1,01 g/l

VOC content valid only for coating materials used on wood surfaces

according to Detergents

Regulation EC 648/2004

: <5% Anionic surfactants, Perfumes, METHYLISOTHIAZOLINONE,

BENZISOTHIAZOLINONE, LIMONENE, CITRAL, HEXYL

Diğer kurallar : 26 Aralık 2008 tarihli,27092 mükerrer sayılı," T.C. Çevre ve Orman

Bakanlığı Tehlikeli Maddeler ve Müstahzarlara İlişkin Güvenlik Bilgi Formlarının Hazırlanması ve Dağıtılması Hakkında Yönetmeliği " ne

uygun düzenlenmiştir.

26 Aralık 2008 27092 (mükerrer) sayılı Tehlikeli Maddelerin ve Müstahzarların Sınıflandırılması Ambalajlanması ve Etiketlenmesi

Hakkında Yönetmelik hükümlerine göre hazırlanmıştır.

15.2 Chemical safety assessment

There is no data available for this product.

SECTION 16: Other information

Full text of H-Statements

H315 Causes skin irritation. H318 Causes serious eye damage.

Harmful to aquatic life with long lasting effects. H412

Further information

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006



BUF POWER CLEANER 75ML

WM 0900679 Order number: 0900679

Version 4.0 Revision Date 22.05.2017 Print Date 17.07.2017

Classification procedure:

Calculation method

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS -Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

500000001152