#### **MORELLO LEDERFARBE LEINEN 40 ML** WM 0900964 Order number: Version 1 Revision Date 28.09.2010 Print Date 27.01.2011 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING **Product information** Trade name : MORELLO LEDERFARBE LEINEN 40 ML Identification number : 63386 Use of the Sub-: Care product / Polish stance/Mixture Company : Bergal, Nico & Solitaire Vertr. GmbH Rheinallee 96 55120 Mainz Telephone : +49613196404 Telefax : +4961319642515 E-mail address Responsi-: Produktsicherheit@werner-mertz.com ble/issuing person Emergency telephone num-: +49(0)6131-19240 ber 2. HAZARDS IDENTIFICATION Risk advice to man and the environment Highly flammable. Irritating to eyes. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness. 3. COMPOSITION/INFORMATION ON INGREDIENTS **Chemical nature** : Alcoholic solution Hazardous components **Chemical Name** CAS-No. EC-No. / Reg-Classification Concentration istration num-[%] ber F; R11 200-662-2 >= 25 - < 40 67-64-1 acetone Xi; R36 R66 R67 64-17-5 200-578-6 F; R11 >= 25 - < 40 ethanol For the full text of the R-phrases mentioned in this Section, see Section 16. **4. FIRST AID MEASURES** General advice : Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

/M 0900964		Order number:	
Version 1		Revision Date 28.09.2010	Print Date 27.01.201
Inhalation		Move to fresh air. Consult a physicia sure.	n after significant expo-
Skin contact		Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.	
Eye contact		: Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.	
Ingestion	:	Clean mouth with water and drink af Do NOT induce vomiting. Do not giv ages. Never give anything by mouth son. Obtain medical attention.	e milk or alcoholic bever-
5. FIRE-FIGHTING MEASURES			
Suitable extinguishing media		Dry chemical Alcohol-resistant foam Carbon dioxide (CO2)	
Specific hazards during fire fighting		Do not allow run-off from fire fighting courses.	to enter drains or water
Special protective equipment	:	In the event of fire, wear self-contain	ed breathing apparatus.
for fire-fighters Further information		Use water spray to cool unopened c taminated fire extinguishing water se be discharged into drains. Fire reside extinguishing water must be dispose local regulations. For safety reasons should be stored separately in close	eparately. This must not ues and contaminated fire ed of in accordance with s in case of fire, cans
6. ACCIDENTAL RELEASE MEAS	URI	ES	
Personal precautions	1	Use personal protective equipment. tion. Remove all sources of ignition. safe areas. Beware of vapours accu concentrations. Vapours can accum	Evacuate personnel to mulating to form explosive
Environmental precautions		Prevent product from entering drains or spillage if safe to do so.	s. Prevent further leakage
Methods for cleaning up	:	Contain spillage, and then collect wir sorbent material, (e.g. sand, earth, d miculite) and place in container for d / national regulations (see section 13	liatomaceous earth, ver- lisposal according to local

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## BNS more than care

#### **MORELLO LEDERFARBE LEINEN 40 ML** WM 0900964 Order number: Version 1 Revision Date 28.09.2010 Print Date 27.01.2011 7. HANDLING AND STORAGE Handling Advice on safe handling : Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Container may be opened only under exhaust ventilation hood. Advice on protection against : Avoid formation of aerosol. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of fire and explosion electrostatic charge. Storage : No smoking. Store in cool place. Containers which are opened Requirements for storage areas and containers must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards. Store at room temperature in the original container. Other data : No decomposition if stored and applied as directed. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Components with workplace control parameters CAS-No. Value Control pa-Components Update Basis rameters 67-64-1 TWA 2000-06-16 2000/39/EC acetone 500 ppm 1.210 mg/m3 Further in-: Indicative formation

### Personal protective equipment Respiratory protection : In the case of vapour formation use a respirator with an approved filter. Hand protection : Solvent-resistant gloves The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Before removing gloves clean them with soap and water.

VM 0900964		Order number:	
Version 1		Revision Date 28.09.2010	Print Date 27.01.20
Eye protection	:	Eye wash bottle with pure water Tigh	tly fitting safety goggles
Skin and body protection	:	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.	
Hygiene measures	:	Handle in accordance with good indupractice. When using do not eat or drawn smoke. Wash hands before breaks a	rink. When using do not
. PHYSICAL AND CHEMICAL P	ROI	PERTIES	
Appearance			
Form	:	liquid	
Colour	:	beige	
Odour	:	characteristic	
Safety data			
Flash point	:	ca13,8 °C	
Boiling point/boiling range	:	> 36 °C	
Density	:	ca. 0,855 g/cm3	
Water solubility	:	dispersible	
0. STABILITY AND REACTIVIT	Y		
Conditions to avoid	:	Heat, flames and sparks.	
Thermal decomposition	:	no data available	
Hazardous reactions	:	Vapours may form explosive mixture	with air.
	:	Stability: No decomposition if used as directed	ł.
1. TOXICOLOGICAL INFORMA	τιοι	N	
Acute oral toxicity acetone	:	LD50 rat Dose: 5.800 mg/kg	
		4/9	

#### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

## BNS more than care

WM 0900964	Order number:	
Version 1	Revision Date 28.09.2010	Print Date 27.01.2011
ethanol	: LD50 rat Dose: 6.200 mg/kg	
	LD50 mouse Dose: 7.800 mg/kg	
	LD50 guinea pig Dose: 5.600 mg/kg	
	LD50 dog Dose: 5.500 mg/kg	
	LD50 cat Dose: 6.000 mg/kg	
Acute inhalation toxicity acetone	: LC50 rat Dose: 101 mg/l, 5 h	
Acute dermal toxicity		
acetone	: LD50 rat Dose: 20.000 mg/kg	
	LD50 rabbit Dose: 20.000 mg/kg	
	LD50 guinea pig Dose: > 7.400 mg/kg	
ethanol	: LD50 rabbit Dose: 20.000 mg/kg	
Skin irritation	: May cause skin irritation in susceptibl	le persons.
Eye irritation	: Vapours may cause irritation to the ey and the skin.	yes, respiratory system
Sensitisation	: no data available	
Further information	: Concentrations substantially above the narcotic effects. Symptoms of overex ache, dizziness, tiredness, nausea ar may degrease the skin.	posure may be head-

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

# BNS more than care

VM 0900964	Order number:	
/ersion 1	Revision Date 28.09.2010	Print Date 27.01.20
2. ECOLOGICAL INFORMA	TION	
Biodegradability		
acetone	: Result: Readily biodegradable. 91 %	
ethanol	: Result: Readily biodegradable. 94 %	
	Method: OECD Test Guideline 301	
Bioaccumulation		
acetone	: Bioconcentration factor (BCF): 1	
	Remarks: Does not bioaccumulate.	
Toxicity to fish		
acetone	: LC50	cill curfich)
	Species: Lepomis macrochirus (Blue Dose: 8.300,00 mg/l	gill sunlish)
	Exposure time: 96 h	
ethanol	: LC50 Species: Oncorhynchus mykiss (rain	how trout
	Dose: 13,00 g/l	
	Exposure time: 96 h	
Toxicity to daphnia and c	other aquatic invertebrates.	
acetone	: Immobilization	
	EC50 Species: Daphnia magna (Water flea	)
	Dose: 6.100,00 mg/l	()
	Exposure time: 48 h	
ethanol :	: EC50	
	Species: Daphnia magna (Water flea Dose: 9.268,00 - 14.221,00 mg/l	l)
	Exposure time: 48 h	
Toxicity to algae		
acetone	: static test	
	EC50 Species: Pseudokirchneriella subcap	itata (green algae)
	Dose: 7.000,00 mg/l	(groon algao)
	Exposure time: 120 h	
Distribution among envir	onmental compartments	
	0/0	

M 0900964	Order number	
ersion 1	Revision Date 28.09.2010	Print Date 27.01.20
ethanol	: Medium: Soil Remarks: Highly mobile in soils	
Additional advice Environment Further information on ecolo		
Chemical Oxygen Demand (Co acetone	DD) : 2.070 mg/g	
Additional ecological informa- tion	: There is no data available for t	this product.
. DISPOSAL CONSIDERATION	3	
Product	: Do not dispose of waste into s ponds, waterways or ditches w container.Offer surplus and no censed disposal company.	vith chemical or used
Contaminated packaging	: Empty remaining contents. Dis not re-use empty containers. I torch on, the empty drum.	spose of as unused product. Do Do not burn, or use a cutting
Waste Code		pplication specific. Waste codes er, preferably in discussion with
. TRANSPORT INFORMATION		
ADR/RID UN number Description of the goods Class Packing group Classification Code Hazard identification No Labels	<ul> <li>: 1993</li> <li>: FLAMMABLE LIQUID, N.O.S. (acetone; ethanol)</li> <li>: 3</li> <li>: II</li> <li>: F1</li> <li>: 33</li> <li>: 3</li> </ul>	
IMDG UN number Description of the goods	<ul> <li>1993</li> <li>FLAMMABLE LIQUID, N.O.S. (Acetone; Ethanol)</li> <li>3</li> </ul>	

#### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

## BNS more than care

VM 0900964	Order number:	
Version 1	Revision Date 28.09.2010	Print Date 27.01.201
EmS Number Marine pollutant	: F-E : no	
5. REGULATORY INFORM	ATION	
Labelling according to	EC Directives	
1999/45/EC		
Symbol(s) F	Highly flammable	
Xi	Irritant	
R-phrase(s)		
R11 R36	: Highly flammable. : Irritating to eyes.	
R66 R67	<ul> <li>Repeated exposure may cause s</li> <li>Vapours may cause drowsiness a</li> </ul>	
S-phrase(s)		
S 2 S16	<ul> <li>Keep out of the reach of children</li> <li>Keep away from sources of ignition</li> </ul>	
S23	: Do not breathe vapour.	
S25 S35	: Avoid contact with eyes. : This material and its container m	ust be disposed of in a safe
330	Way.	ust be disposed of it' a sale
S46	: If swallowed, seek medical advice container or label.	e immediately and show this
National legislation		
Major Accident Hazard I islation	Leg- : 96/82/EC Update: 2003 Highly flammable 7b Quantity 1: 5.000 000067	
Volatile organic compou (VOC) content	Quantity 2: 50.000 000067	
Volatile organic compou (VOC) content	nds : Percent volatile: 76,51 % 654,18 g/l VOC content valid only for coatin surfaces	g materials used on wood

#### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

## BNS more than care

### **MORELLO LEDERFARBE LEINEN 40 ML**

#### WM 0900964

Version 1

Order number: Revision Date 28.09.2010

Print Date 27.01.2011

#### **16. OTHER INFORMATION**

#### Full text of R-phrases referred to under sections 2 and 3

R11	Highly flammable.
R36	Irritating to eyes.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.

#### **Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Contact person

: Product development / product safety

50000001110