according to Regulation (EC) No. 1907/2006

# BNS more than care

#### **MORELLO LEDERFARBE ROT 40 ML** WM 0900955 Order number: Version 1 Revision Date 28.09.2010 Print Date 27.01.2011 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING **Product information** Trade name : MORELLO LEDERFARBE ROT 40 ML Identification number : 63383 Use of the Sub-: Care product / Polish stance/Mixture Company : Bergal, Nico & Solitaire Vertr. GmbH Rheinallee 96 55120 Mainz Telephone : +49613196404 Telefax : +4961319642515 E-mail address Responsi-: Produktsicherheit@werner-mertz.com ble/issuing person Emergency telephone num-: +49(0)6131-19240 ber 2. HAZARDS IDENTIFICATION Risk advice to man and the environment Highly flammable. Irritating to eyes. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness. 3. COMPOSITION/INFORMATION ON INGREDIENTS **Chemical nature** : Alcoholic solution Hazardous components **Chemical Name** CAS-No. EC-No. / Reg-Classification Concentration istration num-[%] ber F; R11 200-662-2 >= 40 - < 50 67-64-1 acetone Xi; R36 R66 R67 64-17-5 200-578-6 F; R11 >= 25 - < 40 ethanol For the full text of the R-phrases mentioned in this Section, see Section 16. **4. FIRST AID MEASURES** General advice : Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

## BNS more than care

/M 0900955		Order number:	
/ersion 1		Revision Date 28.09.2010	Print Date 27.01.201
Inhalation	:	Move to fresh air. Consult a physicia sure.	n after significant expo-
Skin contact	:	Take off contaminated clothing and s off with soap and plenty of water. If s physician.	
Eye contact	:	Immediately flush eye(s) with plenty lenses. Protect unharmed eye. Keep rinsing. If eye irritation persists, cons immediately with plenty of water, also least 15 minutes.	eye wide open while ult a specialist. Rinse
Ingestion	:	Clean mouth with water and drink aft Do NOT induce vomiting. Do not give ages. Never give anything by mouth son. Obtain medical attention.	e milk or alcoholic bever-
5. FIRE-FIGHTING MEASURES			
Suitable extinguishing media	:	Dry chemical Alcohol-resistant foam Carbon dioxide (CO2)	
Specific hazards during fire fighting	:	Do not allow run-off from fire fighting courses.	to enter drains or water
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contain	ed breathing apparatus.
Further information	:	Use water spray to cool unopened co taminated fire extinguishing water se be discharged into drains. Fire residu extinguishing water must be dispose local regulations. For safety reasons should be stored separately in closed	parately. This must not les and contaminated fire d of in accordance with in case of fire, cans
6. ACCIDENTAL RELEASE MEAS	UF	ES	
Personal precautions	:	Use personal protective equipment. I tion. Remove all sources of ignition. safe areas. Beware of vapours accur concentrations. Vapours can accumu	Evacuate personnel to mulating to form explosive
Environmental precautions	:	Prevent product from entering drains or spillage if safe to do so.	. Prevent further leakage
Methods for cleaning up	:	Contain spillage, and then collect wit sorbent material, (e.g. sand, earth, d miculite) and place in container for di / national regulations (see section 13	iatomaceous earth, ver- sposal according to local

according to Regulation (EC) No. 1907/2006

# BNS more than care

#### **MORELLO LEDERFARBE ROT 40 ML** WM 0900955 Order number: Version 1 Revision Date 28.09.2010 Print Date 27.01.2011 7. HANDLING AND STORAGE Handling Advice on safe handling : Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Container may be opened only under exhaust ventilation hood. Advice on protection against : Avoid formation of aerosol. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of fire and explosion electrostatic charge. Storage : No smoking. Store in cool place. Containers which are opened Requirements for storage areas and containers must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards. Store at room temperature in the original container. Other data : No decomposition if stored and applied as directed. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Components with workplace control parameters CAS-No. Value Control pa-Components Update Basis rameters 67-64-1 TWA 2000-06-16 2000/39/EC acetone 500 ppm 1.210 mg/m3 Further in-: Indicative formation Personal protective equipment Respiratory protection : In the case of vapour formation use a respirator with an approved filter.

Hand protection : Solvent-resistant gloves The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Before removing gloves clean them with soap and water.

# BNS more than care

	Order number:	
	Revision Date 28.09.2010	Print Date 27.01.201
:	Eye wash bottle with pure water Tigh	ntly fitting safety goggles
:		
:	practice. When using do not eat or d	rink. When using do not
PRO	PERTIES	
:	liquid	
:	red	
:	characteristic	
:	ca13,8 °C	
:	> 36 °C	
:	ca. 0,855 g/cm3	
:	dispersible	
ГҮ		
:	Heat, flames and sparks.	
:	no data available	
:	Vapours may form explosive mixture	with air.
:		d.
	N	
	LD50 rat	
	PROF	Revision Date 28.09.2010   : Eye wash bottle with pure water Tight   : impervious clothing Choose body praamount and concentration of the darwork place.   : Handle in accordance with good indupractice. When using do not eat or dosmoke. Wash hands before breaks a <b>PROPERTIES</b> : liquid   : red   : characteristic   : a13,8 °C   : > 36 °C   : ca. 0,855 g/cm3   : dispersible

#### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

# BNS more than care

1 0900955	Order number:	
rsion 1	Revision Date 28.09.2010	Print Date 27.01.20
ethanol	: LD50 rat Dose: 6.200 mg/kg	
	LD50 mouse Dose: 7.800 mg/kg	
	LD50 guinea pig Dose: 5.600 mg/kg	
	LD50 dog Dose: 5.500 mg/kg	
	LD50 cat Dose: 6.000 mg/kg	
Acute inhalation toxicity acetone	: LC50 rat Dose: 101 mg/l, 5 h	
Acute dermal toxicity acetone	: LD50 rat Dose: 20.000 mg/kg	
	LD50 rabbit Dose: 20.000 mg/kg	
	LD50 guinea pig Dose: > 7.400 mg/kg	
ethanol	: LD50 rabbit Dose: 20.000 mg/kg	
Skin irritation	: May cause skin irritation in susceptible	e persons.
Eye irritation	: Vapours may cause irritation to the ey and the skin.	es, respiratory system
Sensitisation	: no data available	
Further information	: Concentrations substantially above the narcotic effects. Symptoms of overexp ache, dizziness, tiredness, nausea an may degrease the skin.	osure may be head-

according to Regulation (EC) No. 1907/2006

# BNS more than care

### **MORELLO LEDERFARBE ROT 40 ML**

#### WM 0900955 Order number: Print Date 27.01.2011 Version 1 Revision Date 28.09.2010 **12. ECOLOGICAL INFORMATION** Biodegradability : Result: Readily biodegradable. acetone 91 % ethanol : Result: Readily biodegradable. 94 % Method: OECD Test Guideline 301 **Bioaccumulation** acetone : Bioconcentration factor (BCF): 1 Remarks: Does not bioaccumulate. Toxicity to fish acetone : LC50 Species: Lepomis macrochirus (Bluegill sunfish) Dose: 8.300,00 mg/l Exposure time: 96 h ethanol : LC50 Species: Oncorhynchus mykiss (rainbow trout) Dose: 13,00 g/l Exposure time: 96 h Toxicity to daphnia and other aquatic invertebrates. : Immobilization acetone EC50 Species: Daphnia magna (Water flea) Dose: 6.100,00 mg/l Exposure time: 48 h ethanol : EC50 Species: Daphnia magna (Water flea) Dose: 9.268,00 - 14.221,00 mg/l Exposure time: 48 h Toxicity to algae acetone : static test **EC50** Species: Pseudokirchneriella subcapitata (green algae) Dose: 7.000,00 mg/l Exposure time: 120 h Distribution among environmental compartments

according to Regulation (EC) No. 1907/2006

# BNS more than care

ersion 1		Revision Date 28.09.2010	Print Date 27.01.20
		100101011 2010 20100.2010	
ethanol	:	Medium: Soil Remarks: Highly mobile in soils	
Additional advice Environmer Further information on ecol			
Chemical Oxygen Demand (C acetone	COD :	) 2.070 mg/g	
Additional ecological informa- tion	• :	There is no data available for this proc	duct.
DISPOSAL CONSIDERATION	IS		
Product	:	Do not dispose of waste into sewer.Do ponds, waterways or ditches with cher container.Offer surplus and non-recyc censed disposal company.	mical or used
Contaminated packaging	:	Empty remaining contents. Dispose of not re-use empty containers. Do not b torch on, the empty drum.	
Waste Code	:	European Waste Catalogue 200127 According to the European Waste Cat are not product specific, but applicatio should be assigned by the user, prefe the waste disposal authorities.	n specific. Waste codes
TRANSPORT INFORMATION			
ADR/RID UN number Description of the goods Class Packing group Classification Code Hazard identification No Labels	:	1993 FLAMMABLE LIQUID, N.O.S. (acetone; ethanol) 3 II F1 33 3	
IMDG UN number Description of the goods Class Packaging group Labels	:	1993 FLAMMABLE LIQUID, N.O.S. (Acetone; Ethanol) 3 II 3	

according to Regulation (EC) No. 1907/2006

# BNS more than care

M 0900955	Order number:	
ersion 1	Revision Date 28.09.2010	Print Date 27.01.20
EmS Number Marine pollutant	: F-E : no	
. REGULATORY INFORMA	TION	
Labelling according to E	EC Directives	
1999/45/EC		
Symbol(s) F	Highly flammable	
Xi	Irritant	
R-phrase(s)		
R11 R36	: Highly flammable. : Irritating to eyes.	
R66	: Repeated exposure may cause s	skin drvness or cracking.
R67	: Vapours may cause drowsiness	
S-phrase(s)		
S 2 S16	: Keep out of the reach of children	
S16 S23	<ul><li>Keep away from sources of ignit</li><li>Do not breathe vapour.</li></ul>	ion - no smoking.
S25	: Avoid contact with eyes.	
S35	: This material and its container m	nust be disposed of in a safe
S46	<ul><li>way.</li><li>If swallowed, seek medical advic container or label.</li></ul>	e immediately and show this
National legislation		
Major Accident Hazard Le	eg- : 96/82/EC Update: 2003 Highly flammable 7b Quantity 1: 5.000 000067	
Volatile organic compoun (VOC) content	Quantity 2: 50.000 000067	
Volatile organic compoun (VOC) content	-	ng materials used on wood

according to Regulation (EC) No. 1907/2006

## BNS more than care

### **MORELLO LEDERFARBE ROT 40 ML**

#### WM 0900955

Version 1

Order number: Revision Date 28.09.2010

Print Date 27.01.2011

#### **16. OTHER INFORMATION**

#### Full text of R-phrases referred to under sections 2 and 3

R11	Highly flammable.
R36	Irritating to eyes.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.

#### **Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Contact person

: Product development / product safety

50000001107