


SAFETY DATA SHEET

According to the Regulation (EC) No 1907/2006 as amended by Regulation (EU) No 453/2010

Date of issue: 25.7.2012	Replaces issue from: -
Date of revision: -	
Product name: Tacco Wetbloc Eco	Page: 1/5

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING	
1.1	Product identifier: Name: Tacco Wetbloc Eco Registration number: Not applied for the mixture
1.2	Relevant identified uses of the mixture: Shoe impregnation and cleaner Uses advised against: Do not use near sources of ignition
1.3	Details of the supplier of the safety data sheet: Tacco Footcare International GmbH The full address: Paderbornerstrasse 146 D-33689 Bielefeld, Germany Telefon: +49 5205.751530 E-mail address for a competent person mail@tacco.de responsible for the safety data sheet:
1.4	Emergency telephone number: +49/30 - 19 24 0 (informations only for health risks – acute intoxication of humans and animals)

2. HAZARDS IDENTIFICATIONS		
2.1	Classification of the mixture according to Directive 67/548/EEC: Dangerous	F+
	Most important effects: - physical-chemical: classified as extremely flammable - on the human health: not classified as dangerous. - on the environment: not classified as dangerous.	
2.2	Label elements Hazard symbols:  Signal words: extremely flammable Risk phrase(s): R 12 Extremely flammable. Safety advice: S 2-16-24/25-46 Keep out of the reach of children. Keep away from sources of ignition – No smoking. Avoid contact with skin and eyes. If swallowed, seek medical advice immediately and show the container or label. Other usable label elements: Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Inhalt: 5 % und darüber, jedoch weniger als 15 %: aliphatische Kohlenwasserstoffe, unter 5 %: nichtionische Tenside, Duftstoffe, Limonene, Methylisothiazolinone, Methylchloroisothiazolinone.	
2.3	Other hazards: Caution: Do not breathe aerosols. Harmful on inhalation. Use only in well ventilated areas. Spray in short intervals and for short periods only. Large leather and fabric surfaces shall preferably be sprayed outdoors. Ventilate well after use.	

3. COMPOSITION/INFORMATION ON INGREDIENTS							
The product (mixture) contains these hazardous ingredients:				Classification according to 67/548/EU		Classification according to 1272/2008/EU	
Chemical name	Range of content %w/w	Reg. No	CAS	Symbol letter	R-phrases*	Hazard classes, Category codes *	H-phrases *
			EC				
Isobutane	<10	01-2119485395-27	75-28-5	F+	12	Flam. Gas 1 Press gas	220
			200-857-2				

SAFETY DATA SHEET

According to the Regulation (EC) No 1907/2006 as amended by Regulation (EU) No 453/2010

Date of issue: 25.7.2012	Replaces issue from: -
Date of revision: -	
Product name: Tacco Wetbloc Eco	Page: 2/5

Butane	<10	01-2119474691-32	106-97-8	F+	12	Flam. Gas 1 Press gas	220
			203-448-7				
Propane	<10	01-2119486944-21	74-98-6	F+	12	Flam. Gas 1 Press gas	220
			200-827-9				

Notes: * full wording of R-phrases a H-phrases here listed see part 16.
The values of exposition limits are listed in the part 8, if are established

4.	FIRST AID MEASURES
4.1	Description of first aid measures: Inhalation: Remove to fresh air Skin contact: Wash skin with water Eyes contact: Flush with plenty of pure water. In case of persistant inflammation, take the advice of ophtalmologist. Ingestion: <u>Do not induce vomiting!</u> Obtain medical attention.
4.2	Most important symptoms and effects: Eyes contact: tingle to pain in eyes for several minutes, usually without persisting complications
4.3	Indication of any immediate medical attention and special treatment needed: Immediate medical attention is required only in case of ingestion of a big amount of the mixture.

5.	FIREFIGHTING MEASURES
5.1	Extinguishing media: foam, dry chemical, carbon dioxide, water mist Unsuitable extinguishing media: water jet
5.2	Special hazards arising from the substance or mixture: In fire can emit toxic fumes. The heat from fire increases inner pressure in containers and can cause their bursting or explosion. The exploding containers could fly up to the distance several ten meters.
5.3	Advice for firefighters: Wear a self-contained respirator and protective clothing. Keep containers cool with water spray until well after the fire is out. Avoid rejection of extinguishing water in the environment.

6.	ACCIDENTAL RELEASE MEASURES
6.1	Personal precautions, protective equipment and emergency procedures:
6.1.1	For non-emergency personnel: No smoking. Eliminate sources of ignition. Provide good ventilation
6.1.2	For emergency responders: No smoking. Eliminate sources of ignition. Provide good ventilation
6.2	Environmental precautions: Prevent from spreading or entering into drains, ditches or rivers.
6.3	Methods and material for containment and cleaning up: Impound and absorb on inert powdered material (sand, cement, lime). Recover in suitable container for recovery or destroying according to regional legislation.
6.4	Reference to other sections: Disposing of wastes see part 13.

7.	HANDLING AND STORAGE
7.1	Precautions for safe handling: Do not breathe spray. Protect your eyes. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 ⁰ C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Use only as directed. Unexpended product dispose as a dangerous waste.
7.2	Conditions for safe storage, including any incompatibilities: Keep at tempratures 0 ⁰ C to 30 ⁰ C in dry rooms.. Keep out of the reach of children. Keep away from sources of ignition – No smoking.
7.3	Specific end use(s): The product is applied spraying on shoe surface.

8.	EXPOSURE CONTROLS/PERSONAL PROTECTION					
8.1	Control parameters:					
	National (Czech) occupational exposure limit values:					
	Name of substance	CAS	PEL/NPK-P (mg/m ³)		Notes	Recalculation factor to ppm
	Exposure limit values according to directives 2000/ 39/ EC and 2006/15/EC:					
	Name of substance	CAS	TWA / 8 hours		STEL / short time	
			mg/m ³	ppm	mg/m ³	ppm

SAFETY DATA SHEET

According to the Regulation (EC) No 1907/2006 as amended by Regulation (EU) No 453/2010

Date of issue: 25.7.2012	Replaces issue from: -
Date of revision: -	
Product name: Tacco Wetbloc Eco	Page: 3/5

	Biological limit values: not prescribed for the mixture
8.2	Exposure controls:
8.2.1	Appropriate engineering controls: are not necessary for nonprofessional application.
8.2.2	Individual protection measures, such as personal protective equipment: Eyes/face, skin/hand and respiratory protection: During nonprofessional application none when used as directed .
	Thermal hazards: None when used as directed.
8.2.3	Environmental exposure controls: Prevent release to the environment.

9.	PHYSICAL AND CHEMICAL PROPERTIES
9.1	Information on basic physical and chemical properties Appearance: Physical state (at 20°C): system liquid-vapor in pressurized metal container Colour: colourless to slightly yellowish Odour: Specific by solvents Odour threshold: Not relevant for this mixture pH (1% in water): 6-7 Melting point/freezing point: Not available Initial boiling point and boiling range: Not available Flash point (propane-butane): cca -80°C Evaporation rate: Not available Flammability: Extremely flammable Explosive limits (propane-butane) upper (%v/v): 11,2; lower (%v/v): 1,4 Vapour pressure at 20°C: cca 0,4MPa Vapour density – (propane-butane) (air=1): 1,79-1,94 Density 20°C: 900-910 kg/m ³ Solubility: In water: partiallysoluble, in fats (oil): partially soluble Partition coefficient: n-octanol/water: Not available Auto-ignition temperature (propane-butane): cca 365°C Decomposition temperature: Not available Viscosity: Not available Explosive properties: Explosibility group(propane-butane): II A Oxidising properties: Not relevant for this mixture
9.2	Other information Not available

10.	STABILITY AND REACTIVITY
10.1	Reactivity: no known
10.2	Chemical stability: the mixture is stable under normal ambient and anticipated storage
10.3	Possibility of hazardous reactions: see 10.1
10.4	Conditions to avoid: even short-time temperatures above 50°C
10.5	Incompatible materials: strong oxidizing materials
10.6	Hazardous decomposition products: during thermal decomposition can be produced carbon oxides and nitrogen oxides

11.	TOXICOLOGICAL INFORMATION
11.1	Information on toxicological effects: not determined for the mixture

SAFETY DATA SHEET

According to the Regulation (EC) No 1907/2006 as amended by Regulation (EU) No 453/2010

Date of issue: 25.7.2012	Replaces issue from: -
Date of revision: -	
Product name: Tacco Wetbloc Eco	Page: 4/5

	<p>Toxicological effects based on main substances:</p> <p>a) acute toxicity:</p> <ul style="list-style-type: none"> - LD₅₀ oral, rat (mg/kg): >5000 - LD₅₀ dermal, rat (mg/kg): >5000 - LC₅₀ inhalation, rat (mg/L): Not available <p>b) skin irritation/corrosion : Is not irritating</p> <p>c) serious eye damage/irritation: Is not corrosive</p> <p>d) respiratory/skin sensitisation: Is not sensitizing</p> <p>e) repeated dose toxicity: Not observed</p> <p>f) carcinogenicity: {based on available data does not meet the classification criteria</p> <p>g) mutagenicity: meet the classification criteria</p> <p>h) toxicity for reproduction:</p>
11.1.7	Information on likely routes of exposure: skin, eyes, inhalation
11.1.8	Symptoms related to the physical, chemical and toxicological characteristics:
	<ul style="list-style-type: none"> - skin: not irritating - eyes: not irritating - inhalation: cough, may cause drowsiness and dizziness
11.1.9	Delayed and immediate effects as well as chronic effects from short and long-term exposure: Not observed
11.1.10	Interactive effects: Not observed
11.1.12	Mixture versus substance information: At the mixture are not expected the worse effects on health than at single substances

12.	ECOLOGICAL INFORMATION
12.1	<p>Toxicity: acute toxicity for aquatic organisms: not determined</p> <p>LC₅₀96h,fish (mg/L): not available</p> <p>LC₅₀48h,daphnia (mg/L): not available</p> <p>IC₅₀72h, algae (mg/L): not available</p> <p>Note: using conventional calculation method the product is not classified as dangerous to the environment.</p>
12.2	<p>Persistence and degradability:</p> <p>Persistence: Main substances of the product succumb to significant hydrolytic or fotolytic transformation. The potential of substances in a mixture to degrade in sewage treatment plants: Not determined.</p> <p>Degradability: Substances of the product are easy biodegradable.</p>
12.3	Bioaccumulative potential: The substances are not bioaccumulative regarding to their high volatility.
12.4	Mobility in soil: No data available
12.5	Results of PBT and vPvB assessment: based on actual information, ingredients of the mixture are not PBT/vPvB
12.6	Other adverse effects: Not observed

13.	DISPOSAL CONSIDERATIONS
13.1	<p>Waste treatment methods:</p> <p>Suitable methods for disposal of the mixture: (code 200130 - detergents)incineration in an incinerator or disposing in a salvage point for dangerous wastes.</p> <p>Suitable methods for disposal of the packaging: (code 200140 - Metals) empty packaging dispose in a salvage point for sorted wastes.</p> <p>Physical/chemical properties that may affect waste treatment options: the mixture is extremely flammable</p> <p>Sewage disposal : not allowed</p> <p>Special precautions for recommended waste treatment options (only for disposal of a big amount of the mixture): Regarding to the flammability of the mixture is necessary to dispose it in a well-ventilated area away from sources of ignition – No smoking.</p> <p>Czech national provisions relating to waste: Law nr. 185/2001 Sb., Edict nr. 381/2001 Sb.</p>

SAFETY DATA SHEET

According to the Regulation (EC) No 1907/2006 as amended by Regulation (EU) No 453/2010

Date of issue: 25.7.2012	Replaces issue from: -
Date of revision: -	
Product name: Tacco Wetbloc Eco	Page: 5/5

14.	TRANSPORT INFORMATION		
14.1	Special precautions: none		
14.2	Transport classification :		
	ADR/RID: UN No: 1950 Class: 2 Classification code: 5F Shipping name: AEROSOLS,flammable Packing group: not prescribed Limited quantity: 1 L Tunnel restriction code: D	ICAO/IATA: UN No: 1950 Class: 2.1 Labels: Flamm.Gas Shipping name: AEROSOLS,flammable Packing group: not prescribed LQ: till 30 kg	IMDG: UN No: 1950 Class: 2 Subsidiary risk: no Shipping name: AEROSOLS,flammable Marine pollutant: no Limited quantity: 1L EMS: F-D, S-U

15.	REGULATORY INFORMATION		
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture: Commission Regulation nr. 1272/2008/EC Directive nr. 75/324/EEC with all amendments.		
15.2	Chemical safety assessment: A chemical safety assessment has not been yet carried out for the substances in the mixture by the supplier.		

16.	OTHER INFORMATION		
16.1	List of relevant R-phrases and H-phrases listed in the part 3: R12 Extremely flammable. H220 Extremely flammable gas.		
16.2	The information provided in this safety data sheet is supplied in good faith and is accurate at the date of its publication. The information will be updated as and when appropriate. It is not a specification of product nor does it list its uses, for which the label on the packaging should be carefully studied. In compiling the safety data sheet due account has been taken of all proper and recommended applications of the product of which we are aware and any user must consult us before applying it to any novel or unusual use. The company accepts no responsibility unless the product is used as recommended. Sources for compilation of SDS: SDS of ingredients of the mixture		
16.3	List of used abbreviations: ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road EMS: Environmental Management System IATA: International Air Transport Association ICAO: International Civil Aviation Organisation IMDG: International Maritime Dangerous Goods IC ₅₀ : Inhibitory Concentration for 50% of test organisms LC ₅₀ : Lethal Concentration for 50% of test organisms LD ₅₀ : Lethal Dose for 50% of test organisms LQ: Limited Quantity NPK-P: Nejvyšší povolená koncentrace v pracovním ovzduší (Maximal Permissible Concentration in Working Climate) PEL: Permissible Exposure Limit RID: Regulations concerning the International Transport of Dangerous Goods by Rail SDS: Safety Data Sheet STEL: Short Time Exposure Limit TWA: Time-Weighted Average		
16.4	Changes to the previous version of the SDS: none		