

! SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1. Product identifier | |
|--|--|
| Name of product | Contact VA 1500 Code-Nr. 121500 |
| 1.2. Relevant identified uses of the substan Recommended intended purpose(s) 1-Component Cyanacrylat - Adhesives | ce or mixture and uses advised against |
| 1.3. Details of the supplier of the safety data | a sheet |
| Distributor | WEICON GmbH & Co. KG Königsberger Str. 255, DE-48157 Münster Phone +49(0)251 / 9322 - 0, Fax +49(0)251 / 9322 - 244 E-Mail : msds@weicon.de Internet : www.weicon.de |
| Advice | Produktsicherheit / Product-Safety-Department Phone +49(0)251 / 9322 - 0 E-mail (competent person): msds@weicon.de |
| 1.4. Emergency telephone number | |
| | EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel: ++44 1865 407333 (English) TRANSPORT EMERGENCY CONTACT - UK, UAE, South Africa (24h): Tel: ++44 1865 407333 (English) |
| Manufacturer | WEICON GmbH & Co. KG Königsberger Str. 255, DE-48157 Münster |
| 1.4. Emergency telephone number | |
| | GIFTNOTRUF/TRANSPORTNOTRUF - Deutschland (24h): Tel: ++49 69 222 25285 (Deutsch, Englisch) |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

| Hazard classes and l categories | Hazard Hazard Statements | Classification procedure |
|------------------------------------|--------------------------|--------------------------|
| Skin Irrit. 2 | H315 | |
| Eye Irrit. 2 | H319 | |
| STOT SE 3 | H335 | |
| Hazard Statements | | |
| H315 | Causes skin irritation. | |

| 11010 | OddSCS Skill Inflation. |
|-------|-----------------------------------|
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |

2.2. Label elements



Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



Signal word Warning

Hazard Statements

| H315 | Causes skin irritation. |
|------|-----------------------------------|
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |

Precautionary Statements

| P102 | Keep out of reach of children. |
|---|---|
| P261 P264 P271 P280 | Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. |
| P302 + P352 P304 + P340 P305 + P351 + P338 P312 P332 + P313 P337 + P313 P362 | IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or doctor/physician if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing. |
| P403 + P233 P405 | Store in a well-ventilated place. Keep container tightly closed. Store locked up. |
| P501 | Dispose of contents/container to hazardous or special waste collection point. |

Special rules for supplemental label elements for certain mixtures

Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

2.3. Other hazards

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/ information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

Description

One-component adhesive based on cyanoacrylate acid alkyl ester.

Hazardous ingredients

| CAS No | EC No | Name | [% weight] | Classification according to Regulation (EC) No 1272/2008 [CLP/GHS] |
|-----------|-----------|-----------------------|---------------|---|
| 7085-85-0 | 230-391-5 | ethyl 2-cyanoacrylate | 80 - 99,9 | Eye Irrit. 2, H319 / STOT SE 3, H335 / Skin Irrit. 2, H315 |



SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately. Take affected person into fresh air.

In case of inhalation

Remove the casualty into fresh air and keep him immobile. In the event of symptoms refer for medical treatment.

In case of skin contact

In case of contact with skin wash off immediately with soap and water. Do not take off solidified product from skin. Refer for medical treatment.

In case of eye contact

After eye contact, rinse opened eye for 15 minutes under running water. Transfer to hospital for specialist examination.

In case of ingestion Call for a doctor immediately.

4.2. Most important symptoms and effects, both acute and delayed

Physician's information / possible symptoms Coughing Shortness of breath Respiratory complaints skin irritation

4.3. Indication of any immediate medical attention and special treatment needed No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media Suitable extinguishing media Alcohol-resistant foam Dry powder Carbon dioxide

Unsuitable extinguishing media Full water jet

5.2. Special hazards arising from the substance or mixture

In case of fire formation of dangerous gases possible. Nitrogen oxides (NOx) Carbon monoxide (CO) Carbon dioxide (CO2)

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.

Do not inhale explosion and/or combustion gases.

Additional information

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.



SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Ensure adequate ventilation.

Use personal protective clothing.

Use breathing apparatus if exposed to vapours/dust/aerosol.

6.2. Environmental precautions

Do not discharge into the drains or bodies of water..

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand, kieselguhr, acid binder, general-purpose binder, sawdust). Disposal according to regulations.

6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13 Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace. Open and handle container with care!

General protective measures

Avoid contact with eyes and skin Do not inhale gases/vapours/aerosols.

Hygiene measures

At work do not eat, drink and smoke. Wash soiled clothing immediately. Wash hands before breaks and after work.

Advice on protection against fire and explosion

Pay attention to general rules of internal fire prevention.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels Keep in closed original container.

Advice on storage compatibility

Do not store together with animal feedstuffs. Do not store together with food. Keep away from water.

Further information on storage conditions

Keep container tightly closed and store at cool and aired place. Protect from heat and direct solar radiation.

7.3. Specific end use(s)

Recommendation(s) for intended use See section 1.2



SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ingredients with occupational exposure limits to be monitored

| CAS No | Name | Code | [mg/m3] | [ppm] | Remark |
|-----------|---------------------|-----------------------|---------|-------|-----------|
| 7085-85-0 | Ethyl cyanoacrylate | 8 hours Short-term | 1.5 | 0.3 | EH40/2005 |

Additional advice

The statutory local and national regulations have to be observed.

8.2. Exposure controls

Respiratory protection

In case of insufficient ventilation or long-term effect use breathing apparatus.

Hand protection

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]:: Nitrile rubber; 0,4mm; 480min;60min.

Eye protection

tightly fitting goggles

Other protection measures protective clothing

Appropriate engineering controls

Sufficient ventilation and exhaustion.

SECTION 9: Physical and chemical properties

| 9.1. Information on basic Appearance liquid | | Colour colourless | | Odour typical, | pungent |
|---|-----------------|----------------------|-----------|--------------------------|---------|
| Odour threshold not determined | | | | | |
| Important health, safety | and environment | al information | | | |
| | Value | Temperature | at | Method | Remark |
| pH value | not determine | d | | | |
| boiling point | 214 °C | | 1003 mbar | | |
| melting point | -31 °C | | | | |
| Flash point | 82,5 °C | | | | |
| Vapourisation rate | not determine | d | | | |
| Flammable (solid) | not determine | d | | | |
| Flammability (gas) | not determine | d | | | |



Safety Data Sheet according to Regulation (EC)

 No. 1907/2006 (REACH)

 Printed
 12.04.2017

 revision
 03.08.2016
 (GB) Version 8.6

 Contact VA 1500

| | Value | Temperature | at | Method | Remark |
|---|----------------|-------------|---------|--------|-------------------|
| Ignition temperature | not determined | | | | |
| Self ignition temperature | 480 °C | | | | |
| Lower explosion limit | not applicable | | | | |
| Upper explosion limit | not applicable | | | | |
| Vapour pressure | < 21 Pa | | | | |
| Relative density | 1,043 g/cm3 | 20 °C | | | |
| Vapour density | not determined | | | | |
| Solubility in water | | | | | Reacts with water |
| Solubility/other | 91,8 mg/l | | acetone | | |
| Partition coefficient n- octanol/water (log P O/W) | 0,776 | | | | |
| Decomposition temperature | not determined | | | | |
| Viscosity | 2,6 mPa*s | 20 °C | | | |
| Oxidising properties no | | | | | |
| Explosive properties not applicable | | | | | |
| 9.2. Other information No information available. | | | | | |

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability No information available.

10.3. Possibility of hazardous reactions

Reactions with oxidising agents. Explosive reaction with water Reactions with alcohols, amines, aqueous acids and alkalies.

10.4. Conditions to avoid

After contact with water: Keep away from heat. Risk of polymerisation.

10.5. Incompatible materials

Substances to avoid Alkali (lye) Alcohols Amines



Oxidising agent, strong Water

10.6. Hazardous decomposition products

Gases/vapours, toxic Carbon monoxide and carbon dioxide. Nitrous oxides (NOx)

Thermal decomposition

Remark No decomposition if used as directed.

Additional information

Polymerization under development of heat.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity/Irritation/Sensitization

| | Value/Validation | Species | Method | Remark |
|--------------------|------------------|---------|----------|--------|
| LD50 acute oral | > 5000 mg/kg | rat | OECD 401 | |
| LD50 acute dermal | > 2000 mg/kg | rabbit | OECD 402 | |
| Skin irritation | irritant | | | |
| Eye irritation | irritant | | | |
| Skin sensitization | non-sensitizing | | | |

Subacute Toxicity - Carcinogenicity

| | Value | Species | Method | Validation |
|--|------------------------------|---------|--------|---|
| Chronic Toxicity | | | | - |
| Mutagenicity | | | | No experimental information on genotoxicity in vitro available. |
| Reproduction- Toxicity | | | | No indications of toxic effects were observed in reproduction studies in animals. |
| Carcinogenicity | | | | No indications of carcinogenic effects are available from long-term trials. |
| Specific target organ not applicable | n toxicity (single exposure) | | | |
| Specific target orga not applicable | n toxicity (repeated exposu | re) | | |

Aspiration hazard not determined



Experiences made from practice

Persons suffering from hypersensitivity showed sensitization. Irritates mucous membranes. Irritates eyes and skin.

Additional information

The product is to be handled with the caution usual with chemicals. Other hazardous properties may not be excluded.

SECTION 12: Ecological information

12.1. Toxicity

No information available.

12.2. Persistence and degradability

| | Elimination rate | Method of analysis | Method | Validation | |
|------------|------------------|--------------------|----------------|------------|--|
| Biological | | | not applicable | | |

Biological degradability

12.3. Bioaccumulative potential

The product has not been tested. Because of the product's consistency and low solubility in water bioavailability is not likely.

12.4. Mobility in soil

not applicable

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

General regulation

No adverse ecological effects are known or expected to be a concern under normal use.

Do not allow uncontrolled leakage of product into the environment.

The ecotoxic effect of the product has not been tested. The information on this was derived from products of similar structure or composition.

SECTION 13: Disposal considerations

| 13.1. Waste treatment methods | |
|-------------------------------|---|
| Waste code No. | Name of waste |
| 08 04 09* | waste adhesives and sealants containing organic solvents or other hazardous |
| | substances |

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.

Recommendations for the product

Remove in accordance with local official regulations.

Recommendations for packaging

Carefully polymerize content with water or alkali. Dispose of according to the local waste regulations.

General information

Assignment to a waste code number / waste identification according to the EWC is to be carried out on a sector or process-specific basis.



 Safety Data Sheet according to Regulation (EC)

 No. 1907/2006 (REACH)

 Printed
 12.04.2017

 revision
 03.08.2016 (GB) Version 8.6

 Contact VA 1500

SECTION 14: Transport information

| | ADR/RID | IMDG | IATA-DGR |
|-------------------------------------|---------|------|----------|
| 14.1. UN number | - | - | - |
| 14.2. UN proper shipping name | - | - | - |
| 14.3. Transport hazard class(es) | - | - | - |
| 14.4. Packing group | - | - | - |
| 14.5. Environmental hazards | ; - | - | - |
| 44.C. Creatial pressutions for | | | |

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not applicable

Transport/further information

No dangerous goods as defined by the transport regulations - ADR/RID, IMDG, ICAO/IATA-DGR.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| VOC standard | |
|--------------|----------|
| VOC content | 2 % |
| VOC value | 21,2 g/L |

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed. For industrial use only.

Further information

Each user is responsible for the implementation of the national special regulations.

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product. Please observe the following disclaimer! --- Our safety data sheets have been compiled according to effective EU-directives, WITHOUT taking into account the special national directives concerning the handling of hazardous substances.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 8.5

H315 Causes skin irritation.

- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.